

PRODUCT-DETAILS

274FLR1-C0240

FUSED ELBOW HOUSING FRCLF



General Information

| | |
|-----------------------|--|
| Extended Product Type | 274FLR1-C0240 |
| Product ID | 7TAA124120R0014 |
| EAN | 0783786445370 |
| Catalog Description | FUSED ELBOW HOUSING FRCLF |
| Long Description | Molded Current Limiting Fuse Housing, Nominal Fuse Voltage Rating 15.5kV, Fuse Test Port - Two Capacitive Test Ports, Small Housing, Cable Insulation Diameter 0.805 inch - 1.060 inch / 20-27mm, Aluminum Conductor size 1/0 AWG Stranded Compressed, 2/0 AWG Solid Compact |

Ordering

| | |
|-----------------------|---------------|
| EAN | 0783786445370 |
| Customs Tariff Number | 8535100040 |

Dimensions

| | |
|--------------------|---------------------|
| Product Net Weight | 7.94 lb 3.601 kg |
|--------------------|---------------------|

Container Information

| | |
|-----------------------|---------------|
| Package Level 2 Units | 1 piece |
| Package Level 2 Width | 1 in 25 mm |

| | |
|--------------------------------|---------------|
| Package Level 2 Height | 1 in 25 mm |
| Package Level 2 Depth / Length | 1 in 25 mm |

Additional Information

| | |
|---------------------|---|
| Application | Protect Light Duty Underground Distribution Systems |
| Brand / Label | Elastimold |
| Color | Black |
| Current Rating | 200 A |
| Includes | Elbow Connector Housing, Crimp Connector, Probe Lug, Tube of Lubricatn, Installation Instructions, Crimp Chart, V.D. Cap-Peroxide |
| Insulation Material | Yes, EPDM Rubber |
| Material | EPDM Rubber |
| Number of Batteries | 0 |
| Product Name | ELECTRICAL FUSE,>1000V |
| Product Type | Loadbreak Fused Elbow Connector with Test Point |
| Size | Length 16.87 inches from bottom to center of Bushing |
| Special Functions | Full-Range Current-Limiting Fusing with 50kA Interrupting Capability. Hotstick Operable 25/28kV Loadbreak Elbow Switching. |
| Standards | IEEE 386, ANSI C37.40, ANSI C37.41, ANSI C37.47 |
| Temperature Range | -40 to +65 °C |
| UPC | 783786445370 |
| Voltage Rating | 15.5 to 16.2 kV |

Certificates and Declarations (Document Number)

| | |
|-----------------------------------|---------------|
| Data Sheet, Technical Information | 274FLR1-C0240 |
| Instructions and Manuals | 274FLR1-C0240 |

Classifications

| | |
|------------------------------------|---------------------------------------|
| UNSPSC | 39121421 |
| WEEE Category | Product Not in WEEE Scope |
| IDEA Granular Category Code (IGCC) | 4586 >> Electrical connector assembly |

Categories

Low Voltage Products and Systems → Installation Products → Cable Accessories and Apparatus → Cable Accessories

